




2M			
Desarrollo de referencia [mm]	Número de dientes	Desarrollo de referencia [mm]	Número de dientes
74	37	368	184
90	45	370	185
100	50	386	193
104	52	392	196
112	56	406	203
118	59	426	213
120	60	448	224
124	62	558	279
130	65	560	280
140	70	710	355
148	74	930	465
180	90	984	492
184	92	1066	533
188	94	1224	612
192	96		
200	100		
208	104		
210	105		
216	108		
224	112		
232	116		
250	125		
256	128		
266	133		
274	137		
280	140		
288	144		
304	152		
308	154		
310	155		
318	159		
328	164		
330	165		
336	168		
340	170		

Ejemplo de pedido	Producto	Desarrollo de referencia [mm]	Perfil y Modelo	Ancho [mm]	
Optibelt OMEGA	Correas planas dentadas	1224	2M	3	



	t [mm]	h _i [mm]	h _s [mm]
3M	3,0	1,1	2,3

3M


Desarrollo de referencia [mm]	Número de dientes	Desarrollo de referencia [mm]	Número de dientes	Desarrollo de referencia [mm]	Número de dientes
111	37	339	113	888	296
117 (HTD)	39	345	115	945 (HTD)	315
120 (HTD)	40	357	119	960 (HTD)	320
123 (HTD)	41	363	121	1041 (HTD)	347
126 (HTD)	42	366	122	1062	354
129	43	384	128	1068 (HTD)	356
141	47	390	130	1071 (HTD)	357
144	48	411	137	1125 (HTD)	375
150	50	420	140	1176 (HTD)	392
156 (HTD)	52	426	142	1245 (HTD)	415
159	53	435	145	1263 (HTD)	421
165	55	447	149	1500 (HTD)	500
168	56	462	154	1530 (HTD)	510
171	57	474	158	1569	523
174	58	477 (HTD)	159	1863 (HTD)	621
177	59	480	160		
180	60	486	162		
183	61	489 (HTD)	163		
186	62	495	165		
192	64	501	167		
195	65	513	171		
201	67	519	173		
204	68	522	174		
207	69	525	175		
210	70	531	177		
213	71	537	179		
216 (HTD)	72	558	186		
225	75	564	188		
237 (HTD)	79	570	190		
240	80	582	194		
243 (HTD)	81	591 (HTD)	197		
246	82	594 (HTD)	198		
249	83	597	199		
252	84	600	200		
255	85	606	202		
267	89	612 (HTD)	204		
276	92	615	205		
282	94	633	211		
285	95	648 (HTD)	216		
288	96	669	223		
291	97	672 (HTD)	224		
294	98	675	225		
300	100	708 (HTD)	236		
306 (HTD)	102	711	237		
312	104	738	246		
315	105	753 (HTD)	251		
318	106	804	268		
330	110	816	272		
333	111	843	281		
336 (HTD)	112	882	294		

Ejemplo de pedido	Producto	Desarrollo de referencia [mm]	Perfil y Modelo	Ancho [mm]	
Optibelt OMEGA	Correas planas dentadas	1863	3M	6	



5M			
Desarrollo de referencia [mm]	Número de dientes	Desarrollo de referencia [mm]	Número de dientes
120 (HTD)	24	710	142
180	36	720	144
225	45	740	148
255	51	750	150
265	53	755	151
270	54	775	155
280	56	790	158
295	59	800	160
300	60	825	165
305	61	830	166
325	65	835	167
330	66	850	170
340	68	860	172
345 (HTD)	69	890	178
350	70	900	180
360	72	925	185
365	73	935	187
370	74	940	188
375	75	950	190
385	77	965	193
400	80	975	195
415	83	980	196
420	84	1000	200
425	85	1025	205
450	90	1035	207
460	92	1050	210
475	95	1100	220
490	98	1125	225
500	100	1135	227
520	104	1200	240
525	105	1270	254
535	107	1380	276
540	108	1400	280
550	110	1420	284
560	112	1425	285
565	113	1500	300
575	115	1595	319
580	116	1690	338
600	120	1790	358
610	122	1800	360
615	123	1870	374
620	124	1895	379
630	126	2000	400
635	127	2110	422
640	128	2250	450
645	129	2350	470
650	130	2525	505
665	133		
670	134		
700	140		

Ejemplo de pedido	Producto	Desarrollo de referencia [mm]	Perfil y Modelo	Ancho [mm]	
Optibelt OMEGA	Correas planas dentadas	2525	5M	9	



	t [mm]	h _t [mm]	h _s [mm]
8M	8,0	3,2	5,4
14M	14,0	5,6	9,5

8M				14M	
Desarrollo de referencia [mm]	Número de dientes	Desarrollo de referencia [mm]	Número de dientes	Desarrollo de referencia [mm]	Número de dientes
288	36	1256	157	966	69
320 (HTD)	40	1264	158	1092	78
352	44	1280	160	1190	85
376	47	1304	163	1344	96
416	52	1320	165	1400	100
424	53	1328	166	1456	104
480	60	1344	168	1512	108
512	64	1360	170	1610	115
520	65	1392	174	1680	120
560	70	1400	175	1778	127
576	72	1424	178	1890	135
600	75	1432 (HTD)	179	2100	150
608	76	1440	180	2310	165
624	78	1480	185	2450	175
632	79	1520	190	2590	185
640	80	1552	194	2800	200
656	82	1584	198	3150	225
680	85	1600	200	3360	240
712	89	1680	210	3500	250
720	90	1696	212	3850	275
760	95	1728	216	4004*	286
776	97	1760	220	4326	309
784	98	1800	225	4578	327
800	100	1896	237		
824	103	1904	238		
840	105	1936	242		
848	106	2000	250		
856	107	2080	260		
880	110	2104	263		
896	112	2240	280		
912	114	2248	281		
920	115	2272	284		
936	117	2400	300		
960	120	2504	313		
976	122	2600	325		
1000	125	2800	350		
1040	130	3048	381		
1056	132	3280	410		
1064	133	3600*	450		
1080	135	4400*	550		
1096	137				
1120	140				
1128	141				
1160	145				
1168	146				
1184	148				
1192	149				
1200	150				
1224	153				
1248	156				

* bajo demanda

Ejemplo de pedido	Producto	Desarrollo de referencia [mm]	Perfil y Modelo	Ancho [mm]	
Optibelt OMEGA	Correas planas dentadas	4400	8M	20	