



Referencia correa	13	22	28	30	37	47	55	70
Ancho superior [mm]	13	22	28	30	37	47	55	70
Espesor [mm]	5	8	8	10	10	13	16	18
Desarrollo interior [mm]	468 500	485 525 565 650 700 750 800 850 900 950 1000 1060 1185	600 650 700 750 800 850 900 950 1000 1060 1120 1180 1250 1320 1400 1500	650 665 700 800 850 875 900 950 1000 1035 1120 1200 1340 1500 1600	660 800 850 900 950 1000 1020 1060 1120 1180 1250 1320 1400 1500 1600 1700 1800	1000 1060 1120 1180 1250 1320 1400 1500 1600 1700 1800	1400 1500 1600 1700 1800	1600 1700 1800 1900 2000 2240 2500


Ejemplo de pedido	Producto	Referencia correa	Desarrollo interior [mm]
Optibelt VARIO POWER	Correas variador	70 x 18	2500





Referencia correa	W16	W20	W25	W31,5	W40	W50	W63	
Ancho superior [mm]	17	21	26	32	41	52	65	
Espesor [mm]	5	6	8	10	13	16	20	
Desarrollo de referencia [mm]	450 500 560 600 630 800	560 630 640 710 800 900 1000 1250	690 710 750 790 800 840 900 1000 1120	800 840 870 900 950 1000 1050 1120 1170 1230 1250 1400	990 1060 1100 1120 1180 1240 1250 1310 1400 1500 1660 1800 2000	1250 1320 1400 1480 1600 1680 1800 2000 2240 2320	1800 2000	

Ejemplo de pedido	Producto	Referencia correa	Desarrollo de ref. [mm]	
Optibelt VARIO POWER	Correas variador	W63	2000	



Referencia correa	1422	1922	1926	2230	2322	2426	2530	2830
Ancho superior	14"	19"	19"	22"	23"	24"	25"	28"
Espesor [mm]								
Desarrollo primitivo [mm]	235 240 270 290 300 330 340 360 400 420 440 460 470 480 540 600 660	277 282 298 321 332 338 363 381 386 403 426 443 454 460 484 526 544 604 630 646 666 686 706 721 726 751 756	250 275 290 407 415 427	266 273 275 326 375	329 347 364 396 421 434 441 461 481 486 521 541 601 661 681 701 801	353 363	500 530 560 600 630 670 710 750 790 800 934 990	337 363 366 367 393 396 422

Ejemplo de pedido	Producto	Referencia correa	Desarrollo primitivo [mm]
Optibelt VARIO POWER	Correas variador	2830	422



